

Ubuntu

- root-pw
- fstab
- for dir in /dev /dev/pts /proc /sys /run; do sudo mount -bind \$dir /media/\$USER/BPI-ROOT\$dir; done
- for dir in /dev/pts /dev /proc /sys /run; do sudo umount /media/\$USER/BPI-ROOT\$dir; done
- /etc/resolv.conf / ip-config
- apt-sources

```
deb http://ports.ubuntu.com/ubuntu-ports/ impish main universe
restricted multiverse
deb-src http://ports.ubuntu.com/ubuntu-ports/ impish main universe
restricted multiverse
deb http://ports.ubuntu.com/ubuntu-ports/ impish-security main universe
restricted multiverse
deb-src http://ports.ubuntu.com/ubuntu-ports/ impish-security main
universe restricted multiverse
deb http://ports.ubuntu.com/ubuntu-ports/ impish-updates main universe
restricted multiverse
deb-src http://ports.ubuntu.com/ubuntu-ports/ impish-updates main
universe restricted multiverse
deb http://ports.ubuntu.com/ubuntu-ports/ impish-backports main
universe restricted multiverse
deb-src http://ports.ubuntu.com/ubuntu-ports/ impish-backports main
universe restricted multiverse
```

- nano
- gnome

From:
<http://www.fw-web.de/dokuwiki/> - FW-WEB Wiki



Permanent link:
<http://www.fw-web.de/dokuwiki/doku.php?id=en:bpi-r2pro:ubuntu>

Last update: **2023/06/08 17:06**